

平成27年度 水質調査結果

I 河川水質調査

市内の河川13地点について、年4回調査。市内河川は類型指定されておらず、環境基準は適用されないが、汚濁が進んでいる地点がある。

河川水質調査地点



平成27年度 河川水質調査結果

採水地点	H-1				H-2				H-3			
採水日	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17
pH	6.8	7.5	7.2	7.9	6.8	7.7	7.5	8.6	6.8	7.7	7.4	7.9
DO(mg/l)	10.9	11.3	11.4	13.0	11.3	10.5	13.6	12.8	10.7	10.5	10.8	11.8
SS(mg/l)	1	7	1	1	2	2	<1	1	2	<1	2	<1
BOD(mg/l)	1.5	2.0	3.0	3.2	1.7	1.5	2.1	1.8	<0.5	<0.5	0.9	<0.5
採水地点	S-1				S-2				K-1			
採水日	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17
pH	6.7	7.4	7.3	7.2	-	-	-	-	6.9	-	-	8.1
DO(mg/l)	10.3	9.6	11.4	10.4	-	-	-	-	13.1	-	-	13.8
SS(mg/l)	<1	<1	1	<1	-	-	-	-	2	-	-	<1
BOD(mg/l)	<0.5	0.7	1.4	0.6	-	-	-	-	0.7	-	-	2.0
採水地点	K-2				K-3				U-1			
採水日	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17
pH	6.9	7.6	-	7.7	6.9	7.6	7.4	7.7	-	-	-	7.8
DO(mg/l)	10.9	10.0	-	12.6	10.5	9.8	11.4	12.6	-	-	-	11.5
SS(mg/l)	<1	1	-	<1	1	<1	<1	1	-	-	-	<1
BOD(mg/l)	<0.5	0.6	-	0.7	<0.5	0.6	0.7	0.7	-	-	-	1.4
採水地点	U-2				A-1				N-1			
採水日	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17	H27.5.21	H27.8.6	H27.12.2	H28.3.17
pH	6.9	7.6	7.2	7.5	6.8	7.3	-	7.7	6.9	7.4	7.1	7.5
DO(mg/l)	10.5	9.4	12.0	12.2	11.9	11.9	-	12.4	10.1	10.9	10.5	11.6
SS(mg/l)	<1	<1	<1	<1	1	3	-	<1	2	2	<1	2
BOD(mg/l)	<0.5	<0.5	0.9	1.2	0.5	0.7	-	1.1	1.7	0.9	1.7	2.1
採水地点	O-1											
採水日	H27.5.21	H27.8.6	H27.12.2	H28.3.17								
pH	6.8	-	-	7.2								
DO(mg/l)	9.6	-	-	7.9								
SS(mg/l)	17	-	-	6								
BOD(mg/l)	2.2	-	-	3.2								

※ DO・SS・BODの単位はmg/L ※空欄は濁水・工事等で採水不可能だったもの